

L Number	Hits	Search Text	DB	Time stamp
13	11918	application adj1 server	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:11
14	470	((application adj1 server) same (availability or high\$5 near1 availab\$5))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:25
15	56	((application adj1 server) same (availability or high\$5 near1 availab\$5)) and notifi\$6 near2 (period or time or time?stamp\$3 or time adj1 stamp or interval or limit)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:22
16	49	((application adj1 server) same (availability or high\$5 near1 availab\$5)) and notifi\$6 near2 (period or time or time?stamp\$3 or time adj1 stamp or interval or limit)) and (load\$5 or workload)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:10
17	38	((application adj1 server) same (availability or high\$5 near1 availab\$5)) and notifi\$6 near2 (period or time or time?stamp\$3 or time adj1 stamp or interval or limit)) and (load\$5 or workload) near3 (application or server or node)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:24
18	1	((application adj1 server) same (availability or high\$5 near1 availab\$5)) and (notifi\$6 or alive or heart?beat or heartbeat or hello) near2 (signal or messag\$3) near5 (stor\$5 or database or record\$4)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:20
19	12	((application adj1 server) same (availability or high\$5 near1 availab\$5)) and (notif\$6 or alive or heart?beat or heartbeat or hello) near3 (signal or messag\$3) with (stor\$5 or database or record\$4)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:21
20	59	((application adj1 server) same (availability or high\$5 near1 availab\$5)) and (notif\$6 or alive or heart?beat or heartbeat or hello) near5 (stor\$5 or database or record\$4)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:28
21	41	((application adj1 server) same (availability or high\$5 near1 availab\$5)) and (notif\$6 or alive or heart?beat or heartbeat or hello) near5 (stor\$5 or database or record\$4)) and (notif\$6 or alive or heart?beat or heartbeat or hello) near5 (period or time or time?stamp\$3 or time adj1 stamp or interval or limit)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:47
22	41	((application adj1 server) same (availability or high\$5 near1 availab\$5)) and (notif\$6 or alive or heart?beat or heartbeat or hello) near5 (stor\$5 or database or record\$4)) and (notif\$6 or alive or heart?beat or heartbeat or hello) near5 (period or time or time?stamp\$3 or time adj1 stamp or interval or limit)) and (load\$5 or workload) near3 (application or server or node)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:27

23	9	((((application adj1 server) same (availability or high\$5 near1 availab\$5)) and (notif\$6 or alive or heart?beat or heartbeat or hello) near5 (stor\$5 or database or record\$4)) and (notif\$6 or alive or heart?beat or heartbeat or hello) near5 (period or time or time?stamp\$3 or time adj1 stamp or interval or limit)) and (load\$5 or workload) near3 (application or server or node)) not (((application adj1 server) same (availability or high\$5 near1 availab\$5)) and notifi\$6 near2 (period or time or time?stamp\$3 or time adj1 stamp or interval or limit)) and (load\$5 or workload) near3 (application or server or node))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:23
24	16558	(server or node or application) with (availability or high\$5 near1 availab\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:26
25	200483	"25" same (measu\$5 or calculat\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:26
26	261	((server or node or application) with (availability or high\$5 near1 availab\$5)) with (measu\$5 or calculat\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:01
27	31	(((server or node or application) with (availability or high\$5 near1 availab\$5)) with (measu\$5 or calculat\$5)) and (load\$5 or workload) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:49
28	7	(((server or node or application) with (availability or high\$5 near1 availab\$5)) with (measu\$5 or calculat\$5)) and (load\$5 or workload) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (notif\$6 or alive or heart?beat or heartbeat or hello or period or time?stamp) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:35
29	654	((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:34
30	25	(((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) same (notif\$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:57
31	100	(((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and (stor\$5 or record\$5 or database) near4 (notif\$6 or alive or heart?beat or heartbeat or hello or signal)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:48
32	47	(((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and (stor\$5 or record\$5 or database) near4 (notif\$6 or alive or heart?beat or heartbeat or hello or signal)) and (notif\$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:49

33	5	(((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and (stor\$5 or record\$5 or database) near4 (notif\$6 or alive or heart?beat or heartbeat or hello or signal)) and (notif\$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (load\$5 or workload) with (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:52
34	230	((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) same (period or time?stamp or time or interval or second)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:51
35	42	(((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) same (period or time?stamp or time or interval or second)) and (load\$5 or workload) with (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:56
36	122	((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and availab\$6 near5 (database or data adj1 base or storage or record)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:56
38	174	((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and (notif\$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:18
39	9	(((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and availab\$6 near5 (database or data adj1 base or storage or record)) and (load\$5 or workload) with (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and (notif\$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:05

40	0	(((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and availab\$6 near5 (database or data adj1 base or storage or record)) and (load\$5 or workload) with (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and (notif\$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))) not (((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and availab\$6 near5 (database or data adj1 base or storage or record)) and (load\$5 or workload) with (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:01
37	25	(((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and availab\$6 near5 (database or data adj1 base or storage or record)) and (load\$5 or workload) with (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:12
41	26	(((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and availab\$6 near5 (database or data adj1 base or storage or record)) and (((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and (notif\$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:06
42	20	(((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and availab\$6 near5 (database or data adj1 base or storage or record)) and (load\$5 or workload) near5 (increas\$4 or decreas\$5 or reduc\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:13
43	23	(((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and availab\$6 near5 (database or data adj1 base or storage or record)) and availability near1 time	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:19
44	18	(((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and availab\$6 near5 (database or data adj1 base or storage or record)) and availability near1 time) and (notif\$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal or time or interval or seconds) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:20

45	25	(((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and availab\$6 near5 (database or data adj1 base or storage or record)) and availability near1 (tim\$3 or period or interval or difference or signal or message)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:20
46	20	(((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and availab\$6 near5 (database or data adj1 base or storage or record)) and availability near1 (tim\$3 or period or interval or difference or signal or message)) and (notif\$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal or time or interval or seconds) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:24
47	2054178	(load\$5 or workload\$5) nea2 server	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:27
48	0	(((((server or node or application) with (availability or high\$5 near1 availab\$5)) same (measu\$5 or calculat\$5)) and availab\$6 near5 (database or data adj1 base or storage or record)) and availability near1 (tim\$3 or period or interval or difference or signal or message)) and (notif\$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:25
49	299	((load\$5 or workload\$5) nea2 server) and (notif\$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:30
50	14	((server or node or application) with (availability or high\$5 near1 availab\$5)) and ((load\$5 or workload\$5) nea2 server) and (notif\$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:28
51	2054178	(load\$5 or workload\$5) neae2 server	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:28
52	8383	(load\$5 or workload\$5) near2 server	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:31
53	16	((load\$5 or workload\$5) near2 server) and (notif\$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:28

54	2	((server or node or application) with (availability or high\$5 near1 availab\$5)) and (((load\$5 or workload\$5) near2 server) and (notif\$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:29
55	28725	714/\$.ccls.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:29
56	29570	709/\$.ccls.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:30
57	57155	714/\$.ccls. or 709/\$.ccls.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:30
58	59	(714/\$.ccls. or 709/\$.ccls.) and (notif\$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:03
59	14	((714/\$.ccls. or 709/\$.ccls.) and (notif\$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (load\$5 or workload\$5 or utilization or usage) near2 (node or application or utilization or usage or server)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:32
60	14202	(714/\$.ccls. or 709/\$.ccls.) and (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:52
61	14	((714/\$.ccls. or 709/\$.ccls.) and (notif\$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (load\$5 or workload\$5 or utilization or usage) near2 (node or application or utilization or usage or server)) and (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:52
62	57	((714/\$.ccls. or 709/\$.ccls.) and (notif\$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:04

63	14	((714/\$.ccls. or 709/\$.ccls.) and (notif\$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (load\$5 or workload\$5 or utilization or usage) near2 (node or application or utilization or usage or server)) and ((714/\$.ccls. or 709/\$.ccls.) and (notif\$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:53
64	968	(measu\$5 or calculat\$5) near5 (avail\$7 or high\$5 adj1 availab\$6 or HA) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:05
65	0	((measu\$5 or calculat\$5) near5 (avail\$7 or high\$5 adj1 availab\$6 or HA) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and (notif\$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:04
66	10	((measu\$5 or calculat\$5) near5 (avail\$7 or high\$5 adj1 availab\$6 or HA) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and (notif\$6 or alive or heart?beat or heartbeat or hello) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:04
67	431	((measu\$5 or calculat\$5) near5 (avail\$7 or high\$5 adj1 availab\$6 or HA) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:07
68	97	((measu\$5 or calculat\$5) near5 (avail\$7 or high\$5 adj1 availab\$6 or HA) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (load\$5 or workload\$4 or usage or utilization or traffic) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:06

69	73	((((measu\$5 or calculat\$5) near5 (avail\$7 or high\$5 adj1 availab\$6 or HA) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (load\$5 or workload\$4 or usage or utilization or traffic) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (period or time?stamp or time or interval or notification or signal or message) near3 (notif\$6 or alive or heart?beat or heartbeat or hello or signal or message)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:07
70	57	((((measu\$5 or calculat\$5) near5 (avail\$7 or high\$5 adj1 availab\$6 or HA) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and (period or time?stamp or time or interval or notification) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (load\$5 or workload\$4 or usage or utilization or traffic) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application) near5 (var\$5 or adjust\$5 or increas\$5 or decreas\$5 or modif\$6)) and (period or time?stamp or time or interval or notification or signal or message) near3 (notif\$6 or alive or heart?beat or heartbeat or hello or signal or message)) and @ad<20000517	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:08